


Table of Contents

2	Notes
3	MAG3110 Schematic
4	MCU Schematic

Revisions

Rev	Description	Date	Approved
A	Original Release	DATE	DESIGNER

		RF, Analog & Sensor Group 6501 William Cannon Drive West Austin, TX 78755-5598	
<small>This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor.</small>			
Designer: T. Ozyagcilar		ICAP Classification: FCP: FIUQ: PUBL: X	
Drawn by: S. Meja		LFSTBEB3110	
Schematic Content			
Approved: T. Ozyagcilar	Size C	Document Number SCH-26942 PDF: SPP-26942	Rev A
Date: Friday, January 28, 2011		Sheet 1 of 4	

1. Unless Otherwise Specified:

- All resistors are in ohms, 5%, 1/8 Watt
- All capacitors are in uF, 20%, 50V
- All voltages are DC
- All polarized capacitors are aluminum electrolytic

2. Interrupted lines coded with the same letter or letter combinations are electrically connected.

3. Device type number is for reference only. The number varies with the manufacturer.

4. Special signal usage:

- _B Denotes - Active-Low Signal
- <> or [] Denotes - Vectored Signals

5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.





ICAP Classification: FCP: FIUC: PUBI: X




Drawing Title: **LFSTBEB3110**

Page Title: **NOTES**

Size C	Document Number SCH-26942 PDF: SPF-26942	Rev A
-----------	---	----------

Date: Friday, January 28, 2011 Sheet 2 of 4





ICAP Classification: FCP: FIUC: PUBI: X	
Drawing Title: LFTBEB3110	
Page Title: MCU Schematic	
Size C	Document Number SCH-26942 PDF: SPF-26942
Date: Friday, January 28, 2011	Sheet 4 of 4