

NXP's Scalable Arm® Portfolio

Picking the Best Arm Multicore for your Application
aka Layerscape and i.MX Applications
Processors, Better Together

MARCH 2021



SECURE CONNECTIONS
FOR A SMARTER WORLD

PUBLIC

NXP, THE NXP LOGO AND NXP SECURE CONNECTIONS FOR A SMARTER WORLD ARE TRADEMARKS OF NXP B.V.
ALL OTHER PRODUCT OR SERVICE NAMES ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. © 2021 NXP B.V.



PRESENTERS

Marcel Bäessler - Technology Field Application Engineer at Arrow

mbaessler@arroweurope.com

Klaus Kohl-Schoepe - Senior Technology Field Application Engineer at Arrow

kkohl-schoepe@arroweurope.com

Mirko Kegel - Account Manager at NXP

mirko.kegel@nxp.com



A POSITION OF STRENGTH TO BETTER SERVE OUR 26,000+ CUSTOMERS

We accelerate breakthroughs that advance the world
through our semiconductor technology leadership

EMPLOYEES IN
30+ COUNTRIES

Headquartered in Eindhoven,
Netherlands

~29,000
EMPLOYEES

9,000
Patent Families

\$8.88B
Annual Revenue ¹

60+
Year History

11,000+
Engineers

¹ Posted revenue for 2019 – Please refer to the Financial Information page of the Investor Relations section of our website at www.nxp.com/investor for additional information

SECURE CONNECTIONS FOR A SMARTER WORLD...HAS EVOLVED



AUTOMOTIVE



INDUSTRIAL



MOBILE




COMMUNICATION,
INFRASTRUCTURE & OTHER

Focus Verticals

CLOUD INFRASTRUCTURE

Machine Learning

Authentication



Services

Data Analytics

ENABLING TECHNOLOGIES

Sense

Think



Act

Connect

EDGE TO EDGE



Home
Gateway



Auto
Gateway



Smart
City



Industrial
Controller



Smart Home



Smart Health



Smart Retail



Wearables



Smart
Buildings



Voice
Assistant



Robotics



Media
Streaming

NXP GERMANY AT A GLANCE

Hamburg

- NXP CEO and CTO Office
- Automotive R&D, Marketing:
 - Infotainment / V2X / Radar
 - Functional Safety
 - Secure Car Access
 - Sensors
- Security R&D
- Industrial IoT R&D, Marketing
- NFC / Ultra-Wideband (UWB) R&D, Marketing
- Secure Identity / Payment




Wiesbaden, Nuremberg, Boeblingen

- Sales Offices



Munich

- Automotive:
 - Infotainment / Radar
 - Battery Management Systems
 - Microcontroller
- NFC
- Industrial IoT
- Sales EMEA MT



Dresden

- Infotainment R&D



Karlsruhe

- Wi-Fi R&D
- Sales



NXP's Scalable Arm® Portfolio



SECURE CONNECTIONS
FOR A SMARTER WORLD


EXTERNAL

NXP, THE NXP LOGO AND NXP SECURE CONNECTIONS FOR A SMARTER WORLD ARE TRADEMARKS OF NXP B.V.
ALL OTHER PRODUCT OR SERVICE NAMES ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. © 2020 NXP B.V.



NXP SCALABLE EDGE PROCESSING PORTFOLIO

- Massive portfolio of Arm[®]-based MCU and MPU
- 100:1 range of price and CPU performance



NXP's Edge Processing Product Spotlights Addressing Breadth of Industrial Applications



LPC55S16

150MHz Cortex® -M33
CAN-FD,
High precision ADC,
Enhanced Safety
and Security

Example Applications:

- Remote IO and Sensor Nodes
- Elevators and Lifts
- Smart Lighting and Utilities



i.MX RT1170

800MHz Cortex® -M7
GbE, TSN, CAN-FD,
Rich Integration,
Advanced Security

Example Applications:

- Industrial Control
- Security Access Panel
- Fleet Management
- Diagnostic Equipment



i.MX 8M Plus

Quad/Dual Cortex® -A53
with 2.3 TOP NPU & ISP
Real-time Cortex-M7 with
CAN-FD, GbE, TSN

Example Applications:

- Machine Vision
- Industrial Computer
- Safety, security and surveillance



LS1028A

Dual Cortex® -A72
Dual TSN Ethernet
Controllers with Port
Switch, CAN-FD

Example Applications:

- Industrial Networking
- PLCs
- Robotics & Motion Control




LX2160

16 high-performance
Cortex® -A72 cores
40G + Dual 25G
Ethernet, PCIe

Example Applications:


- Optical transport & backhaul
- Test & measurement
- Aerospace & Defense

SIMPLIFIED PROCESSOR BLOCK DIAGRAM



- i.MX and LS have common core functions
- Some target markets overlap
 - Price, performance scalability, and robustness (ECC) will drive customers' decisions
- Key functions differ
 - i.MX: graphics and multimedia
 - LS: networking
- Each is uniquely suited to other markets


PROCESSOR FEATURES FOR DIVERSE MARKETS



LAYERSCAPE AND I.MX FAMILIES MEET STRINGENT EMBEDDED REQUIREMENTS



SAFETY AND RELIABILITY FEATURES IN NXP PROCESSORS



PLATFORM TRUST & SECURITY

	i.MX 8M Nano, i.MX 8M Mini, i.MX 8M, i.MX 8M Plus	i.MX 8, i.MX 8X	LS1012A, LS1021A, LS1028A, LS1043A, LS1046A, LS1088A, LS2088A, LX2160A
Secure/High-Assurance Boot	✓	✓	✓
Crypto Acceleration	✓	✓	✓
Runtime Integrity Checking	✓	✓	✓
Secure Debug	✓	✓	✓
Tamper Detection	—	✓	✓
Volt/Temp/Freq Detection	—	✓	—
Isolated Security Apps	—	✓	—
Content Protection (DRM)	✓	✓	—
Virtualization incl IOMMU	—	—	✓
IPSec, SSL Acceleration	—	—	✓

i.MX and Layerscape: Better Together



SECURE CONNECTIONS
FOR A SMARTER WORLD

EXTERNAL



I.MX AND LAYERSCAPE SCALING: STANDARD SOM BOARDS

i.MX 8M Nano SOM



i.MX 8M Mini SOM



i.MX 8 SoM




SolidRun i.MX 8M Mini SOM



LMX 8M Mini SOM with Gyrfalcon Lightpeak 28035 Neural Accelerator

SolidRun Clear Fog CX LX2160



Kontron - SMARC-sAL28 LS1028



DHCOM – i.MX6, i.MX8M Plus



DHCOR - Solderable SOMs i.MX6UL



DHCON & DHMI



ADLINK – i.MX6, i.MX8M Plus



Panaonic – NXP based Wifi Solutions PAN9028




Panaonic – NXP based Wifi Solutions PAN9026




I.MX AND LAYERSCAPE SCALING EXAMPLE: GATEWAY

i.MX




Layerscape




EXAMPLE OF USING LAYERSCAPE TO ACHIEVE AI/ML SCALABILITY

LS1046A




Rich interfaces for external accelerators

LX2160A



4x the compute power enables processing 4x the camera input

CASCADE LAYERSCAPE AND I.MX PROCESSORS FOR COMPLEX DESIGNS



- First-level functions (i.MX, LS, MCU)

- Classify/perceive
- Recognize/model
- Preprocess




- Second-level functions (Layerscape)

- Fuse first-level inputs
- Interpret data and model behavior
- Predict and plan responses
- Log data
- Communicate



I.MX 8M PLUS FOR INDUSTRIAL MACHINE VISION



Key Performance Req.

- 1080p video encode
- 2x PCIe and Gb Ethernet
- Wi-Fi
- 2x MIPI-CSI cameras w/ ISP

Key Functions:

- Object detection (MobileNet-SSD, Resnet-SSD)
- Connected to industrial network
- Cloud connection for remote monitoring
- Ensure system reliability
- Recognition

Overview:

Stereo vision camera feeds, connected to industrial network, connection to the cloud, object detection with Machine Learning at the edge

Enablement



SECURE CONNECTIONS
FOR A SMARTER WORLD

EXTERNAL

NXP, THE NXP LOGO AND NXP SECURE CONNECTIONS FOR A SMARTER WORLD ARE TRADEMARKS OF NXP B.V.
ALL OTHER PRODUCT OR SERVICE NAMES ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. © 2020 NXP B.V.



I.MX AND LAYERSCAPE HAVE A BROAD ECOSYSTEM OF OPERATING SYSTEMS

Software	Supplier	i.MX	Layerscape
Linux (free)	NXP, public repo	✓	✓
Linux (commercial)	Mentor, Wind River, Timesys, Canonical, etc	✓	✓
RTOS (commercial/ free)	Mentor, QNX, GHS, Wind River, Express Logic, etc	✓	✓
Android	NXP	✓	—
Windows 10 IoT Core	Microsoft	✓	—

I.MX YOCTO PROJECT ENABLEMENT

Commitment: 10 versions released over past 8 years with 16 LTS kernel versions supported

Community Acceptance: Align NXP releases with community release support

Continued support: Upgrade of Yocto version on a bi-annual cadence

IVI Foundation: Demos to support integration of Automotive Grade Linux (AGL) and GENIVI meta-layers

Entertainment: Demos to support integration of Kodi/XBMC meta-layers

Connectivity: Demos to support Modular IoT Gateway


Cloud: Demos able to support AWS Greengrass, Azure IoT Edge, EdgeScale and OTA

Machine Learning: Demos able to support Machine Learning



COMMON LINUX KERNEL AND U-BOOT ACROSS ALL I.MX & LS MPUS

- Kernel 5.4 is the latest with Long-Term Support (LTS)
- Released in the Yocto project 3.0 “Zeus”
- GA for i.MX 6, i.MX 7 and i.MX 8 series since March 2020
- One GA release for ARMv7-A (i.MX 6 and i.MX 7 series) and ARMv8-A (i.MX 8, i.MX 8X and i.MX 8M families)
- Consistent kernel patches for security updates
- Latest i.MX Tools and Software at www.nxp.com/imxtools
- i.MX GA releases at www.nxp.com/imxsw
- Source code on Code Aurora git repository
- <https://www.codeaurora.org/projects/i-mx>



I.MX ANDROID ENABLEMENT



Commitment: 14 Android OS versions released over past 10 years


Broad Acceptance: 35,000+ downloads of BSP to date

Fast Development: ~4 months from development start to production release on multiple Android versions

Cross market robustness: Automotive, Embedded/Industrial, Consumer, IoT

Continued support: New OS releases for min. 2 years after silicon production

Leadership: i.MX – **FIRST** Android system shipping in a **top-5 OEM infotainment platform**



Tools and Guidance for Selection




SECURE CONNECTIONS
FOR A SMARTER WORLD

EXTERNAL



IOT & EDGE SELECTION CHART: NXP HAS THE INDUSTRY'S MOST SCALABLE PORTFOLIO OF SOLUTIONS FOR IOT AND EDGE COMPUTING



NXP's Edge Processing Product Spotlights Addressing Breadth of Industrial Applications



LPC55S16

150MHz Cortex®-M33
CAN-FD,
High precision ADC,
Enhanced Safety
and Security

Example Applications:

- Remote IO and Sensor Nodes
- Elevators and Lifts
- Smart Lighting and Utilities



i.MX RT1170

800MHz Cortex®-M7
GbE, TSN, CAN-FD,
Rich Integration,
Advanced Security

Example Applications:

- Industrial Control
- Security Access Panel
- Fleet Management
- Diagnostic Equipment



i.MX 8M Plus

Quad/Dual Cortex®-A53
with 2.3 TOP NPU & ISP
Real-time Cortex-M7 with
CAN-FD, GbE, TSN

Example Applications:

- Machine Vision
- Industrial Computer
- Safety, security and surveillance



LS1028A

Dual Cortex®-A72
Dual TSN Ethernet
Controllers with Port
Switch, CAN-FD

Example Applications:

- Industrial Networking
- PLCs
- Robotics & Motion Control




LX2160

16 high-performance
Cortex®-A72 cores
40G + Dual 25G
Ethernet, PCIe

Example Applications:

- Optical transport & backhaul
- Test & measurement
- Aerospace & Defense

HOW TO CHOOSE AMONG NXP PROCESSORS—SCALABLE INFERENCE



SUMMARY

- For some applications, the choice of 64-bit NXP multicore processor is clear
 - **Systems with displays, cameras, high-quality audio:** i.MX
 - **Systems for networking:** Layerscape
- Applications without such clear delineation will choose based on other criteria
 - **Cost or power:** i.MX 8M Nano, i.MX 8M Mini
 - **ECC-protected DRAM:** all Layerscape (except LS1012A) or i.MX 8M Plus
 - **TSN Ethernet:** i.MX 8M Plus or LS1028A
 - **CPU performance:** Layerscape LS1046A or LX2
 - **Ethernet or PCIe connectivity:** Layerscape, i.MX8
 - **On-target OS development:** Layerscape
 - **Android:** i.MX
 - **Built-in AI/ML acceleration:** i.MX 8M Plus
 - **Safety:** i.MX 8X
 - **Fifteen-year longevity:** i.MX 8M, i.MX 8M Mini, i.MX 8M Nano, i.MX 8M Plus, all Layerscape



SECURE CONNECTIONS
FOR A SMARTER WORLD